Europäisches Patentamt

European Patent Office

Office européen des brevets



(1) EP 0 889 468 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: 05.12.2001 Bulletin 2001/49

(51) Int CI.7: **G11B 11/10**, G11B 7/125, G11B 7/007, G11B 7/00

- (43) Date of publication A2: 07.01.1999 Bulletin 1999/01
- (21) Application number: 98112208.8
- (22) Date of filing: 01.07.1998
- (84) Designated Contracting States:

 AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

 MC NL PT SE

 Designated Extension States:

 AL LT LV MK RO SI
- (30) Priority: 02.07.1997 JP 17665197 23.10.1997 JP 29083897 24.06.1998 JP 17740298
- (71) Applicant: Sharp Kabushiki Kaisha Osaka-shi, Osaka 545-8522 (JP)


- (72) Inventors:
 - Fuji, Hiroshi
 Soraku-gun, Kyoto 619-0237 (JP)
 - Okumura, Tetsuya
 Tenri-shi, Nara 632-0004 (JP)......
 - Maeda, Shigemi Yamatokoriyama-shi, Nara 639-1042 (JP)
- (74) Representative: Müller, Frithjof E., Dipl.-Ing.
 Müller Hoffmann & Partner
 Patentanwälte
 Innere Wiener Strasse 17
 81667 München (DE)
- (54) Recording condition control method, recording condition control device, and optical recording medium for optical recording apparatus
- (57) A recording condition control method for an optical recording apparatus includes: a first step of varying a light quantity of a light beam or a strength of an external magnetic field so that a plurality of predetermined recording conditions are set; a second step of recording a first test pattern on a first track on an optical recording medium; a third step of recording a second test pattern on a second track adjacent to the first track; a fourth step of reading the first test pattern on the first track so as to detect a signal quantity; a fifth step of storing the recording conditions and the amplitudes by relating them with


each other; a sixth step of searching the signal quantities stored for one approximating most to a predetermined value; and a seventh step of selecting the signal quantity searched out through the sixth step as the optimal recording condition. By this method, the width of the record marks is optimally controlled, while crosstalk occurring between tracks upon signal reproduction and crosserase (erasure of end portions of record marks due to effusion of record from an adjacent track) upon signal recording are minimized. As a result, it is possible to realize high-densification of tracks.


FIG. 3 (a)


Printed by Joure, 75001 PARIS (FR)


(Cont. next page)











2

BNSDOCID: <EP_____0889488A3 1 :

च्यान्त्र क्षेत्र करणह



EUROPEAN SEARCH REPORT

Application Number FP 98 11 2208

DOCUMENTS CONSIDERED TO BE RELEVANT

	DOCUMENTS CONSIDERED TO BE RELEVANT		
_ = v= ; r · ·	© tation of proument with indication, where appropriets or relevant persages.	=1844.3±1 17.63 <u>=11</u>	CLASS FIGATION OF THE APPLICATION (IET CLS)
Ĭ.	EP 0 393 001 A (IBM) 17 October 1996 (1990-10-17) 1 column 10, line 30 - line 49; figure 3 1 1 column 12, line 32 - column 13. line 35	1.2.4.5, 22,24-25	G11B11/10 G11B7/125 G11B7/0C7 G11B7/0C
<u> </u>	EP 6 725 397 4 (CANON KK) 7 August 1996 (1996-06-07) 7 the whole document	1-22	
4	US 5 483 513 A (FUOI HIROSHI) 9 January 1996 (1996-01-09) 1 the whole document?	1.23	•
*	US 5 029 188 A (KENJO ALCEYJKI) 2 July 1991 (1991-07-02) 1 the whole document	6	
F.8	FATENT ABSTRACTS OF JAPAN vol. 1998, no. 10, 31 August 1998 (1998-08-31) & JP 10 134354 A (HITACHI MAXELL LTD). 22 May 1998 (1998-05-22) mapstract m	1,22	TECHNICAL FIELDS SEAPCHED OFFICIES G116
D.A	US 5 617 400 A (FUG: HIROSHI) 1 April 1997 (1997-04-01)	16.20, 21.36. 41-43	
	tS 5 410 527 A (ASHINUMA TAKAAK!) 25 April 1995 (1995-04-25) .* the whole document *	1.22	

-=.		_	 		٠.	 	 	_	.		_					 		_					
	•	-	 	٠.		 _	 			Ţ	72	~	77	_	T	 ~	~~	•	÷	-	·	مي	~

4.306 pt scare	Date of completion of the season	Funte
THE HAGUE	20 June 2001	NANCS A.
SATEBORY OF SITEU DOCUMENTS	" 207 217055	underlying the mizention ment of the lovered on to
2 / DETICABIN relevant fitaken albrid 3 rosputula ikiterekant filomorren kutalik timi	er demonstration of the state o	the annumbers
2 teannarian be serve asingon.	विभागत सम्बद्धा है। 	्रोतिक (जिस्कार)क
not writer grops, te	ڪين جو افرائي انسان ان آهن. جين جو افرائين انسان جو جو	+ CHOBO family intrinsic remains



Application Number

EP 98 11 2208

CLAIMS INCURRING FEES
The present European patent application comprised at the time of filing more than ten claims.
Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those daims for which claims fees have been paid, namely claim(s):
No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.
LACK OF UNITY OF INVENTION
The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:
see sheet B
All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:
1 - 43
·



LACK OF UNITY OF INVENTION SHEET B

Application Number

EP 98.11 2208

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1-43

A recording condition control method and associated device for an optical recording apparatus determining an optimal recording condition by amplitude detection of two recorded test patterns in adjacent tracks.

2. Claims: 44-46

An optical recording medium with a test pattern record region used for optimally controlling recording condition which is sectioned by reference marks used for generating an external clock.

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 98 11 2208

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

20-06-2001

DE 69916246 D 09-03-1 DE 69816246 T 29-06-1 JP 2292726 A 04-12-1 EP 0725397 A 07-08-1996 JP 8203080 A 09-08-1 JP 9035357 A 07-02-1 JP 9035358 A 07-02-1 DE 69604209 D 21-18-1 DE 69604209 T 23-03-2 US 5483513 A 09-01-1996 JP 7065377 A 10-03-1 US 5029155 A 02-07-1991 JP 1232545 A 18-09-1 JP 10134354 A 22-05-1998 NONE US 5617400 A 01-04-1997 JP 8063817 A 08-03-1 US 5410527 A 25-04-1995 JP 61260438 A 18-11-1 JP 61260439 A 18-11-1 JP 2066091 C 24-06-1 JP 7101511 B 01-11-1	Patent docume cited in search re		Publication date		Patent family member(s)	Publication date
US 5483513 A 09-01-1996 JP 7065377 A 10-03-1 US 5483513 A 09-01-1996 JP 7065377 A 10-03-1 US 5029155 A 02-07-1991 JP 1232545 A 18-09-1 JP 10134354 A 22-05-1998 NONE US 5617400 A 01-04-1997 JP 8063817 A 08-03-1 US 5410527 A 25-04-1995 JP 61260438 A 18-11-1 JP 2066091 C 24-06-1 JP 7101511 B 01-11-1	EP 0393001	A	17-16-1990	DE DE	69816246 D 69816246 T	03-12-1 09-03-1 29-06-1 04-12-1
US 5029155 A 02-07-1991 JP 1232545 A 18-09-1 JP 10134354 A 22-05-1998 NONE US 5617400 A 01-04-1997 JP 8063817 A 08-03-1 US 5410527 A 25-04-1995 JP 61260438 A 18-11-1 JP 61260439 A 18-11-1 JP 2066091 C 24-06-1 JP 7101511 B 01-11-1	EP 0725397	A	07-08-1996	JP JP DE DE	9035357 A 9035358 A 69604209 D 69604209 T	09-08-1 07-02-1 07-02-1 21-10-1 23-03-2 29-09-1
JP 10134354 A 22-05-1998 NONE US 5617400 A 01-04-1997 JP 8063817 A 08-03-1 US 5410527 A 25-04-1995 JP 61260438 A 18-11-1	US 5483513	A	09-01-1996	JР	7065377 A	10-03-1
US 5617400 A 01-04-1997 JP 8063817 A 08-03-1 US 5410527 A 25-04-1995 JP 61260438 A 18-11-1 JP 61260439 A 18-11-1 JP 2066091 C 24-06-1 JP 7101511 B 01-11-1	US 5029155	A	02-07-1991	JР	1232545 A	18-09-1
US 5410527 A 25-04-1995 JP 61260438 A 18-11-1 JP 61260439 A 18-11-1 JP 2066091 C 24-06-1 JP 7101511 B 01-11-1	JP 10134354	A	22-05-1998	NONE	-	
JP 61260439 A 18-11-1 JP 2066091 C 24-06-1 JP 7101511 B 01-11-1	US 5617400	A	01-04-1997	JР	8063817 A	08-03-1
	US 5410527	A	25-04-1995	JP JP JP	61260439 A 2066091 C 7101511 B	18-11-1 18-11-1 24-06-1 01-11-1 25-12-1
				JP JP	2066091 C 7101511 B	24-06- 01-11-
			,			

For more details about this arriex : see Official Journal of the European Patent Office, No. 12/82